

The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in-depth analysis of usage statistics, and for precise tuning of the server.

- •Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- •Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS

brewster@wais.com President

Brewster Kahle

FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- · Logs of server transactions and log summary reports

SEARCHING FEATURES

- Natural Language and Relevance Feedback
- Weighted Boolean
- Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS

President FAX: 415-327-6513

brewster@wais.com

Brewster Kahle



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- •Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS

Brewster Kahle brewster@wais.com President

FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- •Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- · Logs of server transactions and log summary reports

SEARCHING FEATURES

- Natural Language and Relevance Feedback
- Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President

FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- Restricted access to databases based on IP addresses
- · Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS

Brewster Kahle brewster@wais.com President FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- · Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- •Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- •Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi-gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- •Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- •Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- •Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS

President FAX: 415-327-6513

brewster@wais.com

Brewster Kahle



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- •Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in-depth analysis of usage statistics, and for precise tuning of the server.

- •Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- •Multiple input data formats supported
- Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- •Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President

FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- •Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- •Incremental updating of databases
- Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in-depth analysis of usage statistics, and for precise tuning of the server.

- •Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- •Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- · Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- •Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in-depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- •Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- •Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- •Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in-depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- · Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President

FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in-depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- •Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi-gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance-ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in-depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- •Multiple input data formats supported
- •Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President

FAX: 415-327-6513



The WAIS Inc. Server for the Unix - Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- •Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS Brewster Kahle brewster@wais.com President

FAX: 415-327-6513



The WAIS Inc. Server for the Unix – Release 1.0

Based on the WAIS (Wide Area Information Servers) open architecture, Release 1.0 of the WAIS Inc. Server for the Unix allows users on Mac, PC and other popular desktop environments to search and retrieve multimedia information in natural language or Boolean queries.

The WAIS Inc. Server is designed to make large collections of documents available to networked user communities. These documents can be of native formats (i.e.: word processing, graphics, etc.) as well as text, and the server can be scheduled to index on a regular basis. The resulting indexes are small, and yield interactive response to user queries, even over large (multi–gigabyte) collections.

The WAIS Inc. search engine uses weighted boolean techniques to respond to standard boolean queries. In addition, the server combines various techniques (word weighting, term weighting, phrase matching, and proximity relationships) to respond to natural language queries. Unique to the WAIS Inc. server is the ability for users to combine natural language and boolean statements to better target their searches. All results are returned in a relevance—ranked list.

The WAIS Inc. server supports relevance feedback. This means that once a user finds a "good" document, they can mark it and the server will find more like it.

The server also supports integration of information from various sources (documents in file systems, within databases, or from news feeds). Tools from WAIS Inc. are available that facilitate in–depth analysis of usage statistics, and for precise tuning of the server.

- •Client-server architecture
- •NISO Z39.50 protocol based
- Compatibility with WAIS clients

- Automatic indexing of documents in original format
 - Supports unix mail, netnews, rmail, etc.
 - Supports indexing of documents in Microsoft Word, PowerPoint, Quicktime, etc.
 - Supports spreedsheet and database output with conversion utility
 - Easily customizable to other document types
- Multiple input data formats supported
- Customized thesaurus for user specified synonyms, general thesaurus included.
- Stemming rules for English
- Incremental update of indexes
- •Small index file overhead, typically 1/3 of original source text
- •Scalable database size (1 MByte to 5 Gigabytes)
- •Restricted access to databases based on IP addresses
- · Logs of server transactions and log summary reports

SEARCHING FEATURES

- •Natural Language and Relevance Feedback
- •Weighted Boolean
- •Mixed weighted Boolean and Natural Language
- Fielded search

TO COME IN NEXT RELEASE:

- Incremental updating of databases
- •Support for more input file formats
- •Support for Z39.50-1992

SERVICE AND MAINTAINANCE

- Phone and electronic mail support
- Customizations and consulting available
- Bug report and fixes, and FAQ wais server and email lists
- Free upgrades for 1 year

HARDWARE REQUIREMENTS

- SUN4 architecture
- 16MB or more RAM recommended

SOFTWARE REQUIREMENTS

• Unix 4.1.3 or Solaris 2.1

For information please contact:

Barbara Brooks barbara@wais.com Information Architect 415-327-WAIS

ormation Architect President -327-WAIS FAX: 415-327-6513

Brewster Kahle

brewster@wais.com



For Immediate Release

Contact:

Emilio Robles Apple Computer, Inc. (408) 862-5671

John McCreadie Regis McKenna, Inc. (408) 974-4398

Apple To Provide Powerful Solutions for Finding Information on the Internet

PALM SPRINGS, California—January 24, 1994—Apple Computer, Inc. announced today at the Demo '94 computer conference its intention to expand its AppleSearch™ text search and retrieval software beyond local-area networks to help users access and find the information they need on the Internet. AppleSearch is client/server software designed to give Macintosh® computer users personalized, easy access to large text and document databases.

Combining Apple's traditional ease-of-use with sophisticated search agent technology, Apple® expects the enhanced version of AppleSearch to help users find and prioritize relevant information residing on the Internet by providing seamless access to publishing servers, such as Wide Area Information Servers (WAIS). Apple expects its new Internet access capability to be available in AppleSearch by the end of 1994.

"Just as the desktop computer came into its own in the 1980s, the Information Highway concept is evidence that a network evolution is poised to dominate the 1990s, giving computer users access to vast amounts of information," said Jim Groff, senior director of LAN Systems for the Apple Business Systems Division. "The challenge will be weeding through the chaos of information on the network to find the files or documents users need most. We intend to continue enhancing AppleSearch as an intelligent assistance solution that finds and organizes that information—no matter where it resides."

In addition to expanding AppleSearch capabilities, Apple intends to continue working closely with commercial and university developers to ensure a variety of Internet access solutions are available.

"AppleSearch puts the power of information retrieval at the users' command by making it easy to find information. By proactively searching across the Internet on the users' behalf, it also leverages their time," said Brewster Kahle, president of WAIS Inc., a Menlo Park, Calif.-based company that provides publishing tools and services over the Internet. "Our focus is to continue enhancing the content on the Internet so that users have a range of quality sources and services available to them."

As more and more computer users look to the Internet to connect to business and university databases as well as various small networks that are often warehouses of useful information, Apple is looking to provide tools to help users easily navigate through the stockpiles of information available on the Internet. It's Apple's intention to create solutions that will enhance the user's experience and increase productivity while providing seamless access to the Internet from the local-area network.

The Internet was originally established as a comprehensive network to allow researchers and scientists to share data and electronic-mail messages. Today, the scope of the Internet has been expanded beyond the research community to include millions of business users, noted Kahle.

AppleSearch features Reporters, which are sophisticated search agents that quickly search through documents on the fileserver, regardless of their format, to deliver information users need. Reporters can be assigned to keep users updated as new and relevant information appears on the server. Combining features found on high-end bibliographic full-text retrieval software with Apple's traditional ease-of-use and administration, AppleSearch can also tap into information sources such as server-mounted CD-ROMs, news wire services or other on-line services that feed into the AppleSearch server. The AppleSearch server software incorporates the Callable Personal Librarian (CPL), developed by Personal Library Software, Inc., as its search engine.

The Demo '94 computer conference, sponsored by PC Letter, is an annual personal computer industry product and technology showcase.

Availability and Pricing:

AppleSearch is currently available from authorized resellers and dealers. A Server/Client 5-Pack is available in the U.S. for \$1,799 (MSRP) and a Client 10-Pack is US\$499 (MSRP). An AppleSearch Client Developer's Kit is priced at US\$299 and is available through APDA®, Apple's source for developer tools. Pricing outside the U.S. may vary. For more information on AppleSearch, contact the Apple Network Information Line at (408) 862-3385.

Headquartered in Cupertino, California, Apple Computer, Inc. (NASDAQ: AAPL) develops, manufactures and markets personal computer, server and personal interactive electronic systems for use in business, education, the home, science, engineering and government. A recognized pioneer and innovator in the information industry, Apple does business in more than 120 countries.

-3()-

Apple, the Apple logo, APDA and Macintosh are registered trademarks; AppleSearch is a trademark of Apple Computer, Inc. All other trademarks are trademarks of their owners and are respectfully acknowledged.

NOTE TO EDITORS: If you are interested in receiving Apple press releases or product data sheets by fax, call 1-800-AAPL-FAX (1-800-227-5329) and enter I.D. number 6172.



For Immediate Release

Contact:

Emilio Robles Apple Computer, Inc. (408) 862-5671

John McCreadie Regis McKenna, Inc. (408) 974-4398

Apple To Provide Powerful Solutions for Finding Information on the Internet

PALM SPRINGS, California—January 24, 1994—Apple Computer, Inc. announced today at the Demo '94 computer conference its intention to expand its AppleSearch™ text search and retrieval software beyond local-area networks to help users access and find the information they need on the Internet. AppleSearch is client/server software designed to give Macintosh® computer users personalized, easy access to large text and document databases.

Combining Apple's traditional ease-of-use with sophisticated search agent technology, Apple® expects the enhanced version of AppleSearch to help users find and prioritize relevant information residing on the Internet by providing seamless access to publishing servers, such as Wide Area Information Servers (WAIS). Apple expects its new Internet access capability to be available in AppleSearch by the end of 1994.

"Just as the desktop computer came into its own in the 1980s, the Information Highway concept is evidence that a network evolution is poised to dominate the 1990s, giving computer users access to vast amounts of information," said Jim Groff, senior director of LAN Systems for the Apple Business Systems Division. "The challenge will be weeding through the chaos of information on the network to find the files or documents users need most. We intend to continue enhancing AppleSearch as an intelligent assistance solution that finds and organizes that information—no matter where it resides."

In addition to expanding AppleSearch capabilities, Apple intends to continue working closely with commercial and university developers to ensure a variety of Internet access solutions are available.

"AppleSearch puts the power of information retrieval at the users' command by making it easy to find information. By proactively searching across the Internet on the users' behalf, it also leverages their time," said Brewster Kahle, president of WAIS Inc., a Menlo Park, Calif.-based company that provides publishing tools and services over the Internet. "Our focus is to continue enhancing the content on the Internet so that users have a range of quality sources and services available to them."

As more and more computer users look to the Internet to connect to business and university databases as well as various small networks that are often warehouses of useful information, Apple is looking to provide tools to help users easily navigate through the stockpiles of information available on the Internet. It's Apple's intention to create solutions that will enhance the user's experience and increase productivity while providing seamless access to the Internet from the local-area network.

The Internet was originally established as a comprehensive network to allow researchers and scientists to share data and electronic-mail messages. Today, the scope of the Internet has been expanded beyond the research community to include millions of business users, noted Kahle.

AppleSearch features Reporters, which are sophisticated search agents that quickly search through documents on the fileserver, regardless of their format, to deliver information users need. Reporters can be assigned to keep users updated as new and relevant information appears on the server. Combining features found on high-end bibliographic full-text retrieval software with Apple's traditional ease-of-use and administration, AppleSearch can also tap into information sources such as server-mounted CD-ROMs, news wire services or other on-line services that feed into the AppleSearch server. The AppleSearch server software incorporates the Callable Personal Librarian (CPL), developed by Personal Library Software, Inc., as its search engine.

The Demo '94 computer conference, sponsored by PC Letter, is an annual personal computer industry product and technology showcase.

Availability and Pricing:

AppleSearch is currently available from authorized resellers and dealers. A Server/Client 5-Pack is available in the U.S. for \$1,799 (MSRP) and a Client 10-Pack is US\$499 (MSRP). An AppleSearch Client Developer's Kit is priced at US\$299 and is available through APDA®, Apple's source for developer tools. Pricing outside the U.S. may vary. For more information on AppleSearch, contact the Apple Network Information Line at (408) 862-3385.

Headquartered in Cupertino, California, Apple Computer, Inc. (NASDAQ: AAPL) develops, manufactures and markets personal computer, server and personal interactive electronic systems for use in business, education, the home, science, engineering and government. A recognized pioneer and innovator in the information industry, Apple does business in more than 120 countries.

-3()-

Apple, the Apple logo, APDA and Macintosh are registered trademarks; AppleSearch is a trademark of Apple Computer, Inc. All other trademarks are trademarks of their owners and are respectfully acknowledged.

NOTE TO EDITORS: If you are interested in receiving Apple press releases or product data sheets by fax, call 1-800-AAPL-FAX (1-800-227-5329) and enter I.D. number 6172.